

# frozen table structure

design Matteo Ragni +  
Maurizio Prina




## STRUTTURA/STRUCTURE

PE - Polietilene/Polyethylene  
colore base/basic colour



6310



## GROSS WEIGHT:

kg 8,7

## ACCESSORIES:

### A4461


Sistema di fissaggio a  
terra/Fixing kit system

### A4601


Kit sabbia essiccata/  
Dried sand kit

# frozen table structure light

design Matteo Ragni +  
Maurizio Prina



**STRUTTURA/STRUCTURE** PE - Polietilene/Polyethylene  
colore base/basic colour



8310



98

**GROSS WEIGHT:**

kg 8,7

**DETAILS:**

Necessita di 1 Kit Luce/  
Needs 1 Light Kit

**KIT LUCE/LIGHT KIT**

- A4922** Kit luce senza lampadina indoor/*Indoor light kit without bulb*  
**A4923** Kit luce senza lampadina outdoor/*Outdoor light kit without bulb*  
**A4744** Kit LED RGB a batteria per interni-esterni bluetooth/  
*Bluetooth RGB LED light kit with battery indoor-outdoor*

# frozen table structure top

## DETAILS:

Necessita di due  
strutture per il piano/  
Needs two structures for  
the top  
A4935

## PIANO/TOP




60



70



70



120

## HPL

colore base/basic colour

A4926



A4925



A4927



A4928



A4930



A4929



A4935



## DIMENSIONS:

Cm 59x1 h

Cm 59x1 h

Cm 69x1 h

Cm 69x1 h

Cm 69x69x1 h

Cm 69x69x1 h

Cm 120x60x1 h

## GROSS WEIGHT:

Kg 6,7

Kg 6,7

Kg 8,2

Kg 8,2

Kg 9,7

Kg 9,7

Kg 12,5

## TESTS (ART. 6310)

Declaration of conformity issued by



Conforms to the requirements of resistance, durability  
and safety, 2<sup>nd</sup> level EN 15372:2016

Tests carried out as per:

EN 15372:2016, clause 6  
EN 15372:2016, clause 5.1-5.2  
EN 1730:2012, clause 6.2  
EN 1730:2012, clause 6.3  
EN 1730:2012, clause 6.4.2  
EN 1730:2012, clause 6.5  
EN 1730:2012, clause 6.6  
EN 1730:2012, clause 7.2

**Attention** to ensure stability under a vertical  
pressure, the part must be stabilized according  
to point 7.2 of EN 1730:2012.

To do this, inert material (es. dried sand)  
must be poured into the hole at the bottom of  
the base. The amount of the material will vary  
according to the article:

art. A4930/A4929 70x70 cm - kg 20

art. A4935 120x60 cm - kg 12 + kg 12 = kg 24

Finally, close the hole by screwing the threaded  
cap back on.